



Bharatiya Vidya Bhavan's
SARDAR PATEL INSTITUTE OF TECHNOLOGY
 An Autonomous Institute Affiliated To University Of Mumbai
 Munshi Nagar, Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for B.E., Electronics Engineering (GROUP II), Even Semester VIII , Exam: January 2019 (Re - Examination)

Courses →	EXC801				EXC802				EXC803				EXC8042				EXC806			EXL801			EXL802			EXL803			EXL8042			TOTAL	SGPI (GPA)	RESULT															
	CMOS VLSI DESIGN				ADVANCED NETWORKING TECHNOLOGIES				MEMS TECHNOLOGY				ELECTIVE - II MOBILE COMMUNICATION				PROJECT (STAGE II)			CMOS VLSI DESIGN LABORATORY			ADVANCED NETWORKING TECHNOLOGIES LABORATORY			MEMS TECHNOLOGY LABORATORY			ELECTIVE - II MOBILE COMMUNICATION LABORATORY																				
Seat No / Name of Student ↓	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT						
	MaxM	10	30	60	100	10	30	60	100	10	30	60	100	10	30	60	100	150	50	200	40	20	60	40	20	60	40	20	60	40	20	60	40	20	60	40	20	60	40	20	60	40	20	60	840				
	MinM	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	20	80	--	8	24	--	8	24	--	8	24	--	8	24	--	8	24	--	8	24							
2014110030	MarksO																																																
KUMAR TUSHAR BALAJI JAYANTHI	Grade				D				E				E				E			C			C			A			C			O																	
	C				4				4				4				4			4			1			1			1			1			1			1			1			24					
	GP*C				24				20				20				20			28			7			9			7			10			145				6.04		P								

Female	/
Grace	*
LD	!
0.505	RCC
Pass	P
Fail	F
Exempted	E
Reserved for Lower Exam	RLE

Credit	C
Grade	G
Grade Point	GP
C*GP	CGP
Sum of Credits	ΣC
Sum of CGPs	ΣCGP
ΣCGP/ΣC	GPA
Null & Void	NULL
Absent	Ab

% Marks	Grade	GP	Performance
80.00 and Above	O	10	Outstanding
75.00 - 79.99	A	9	Excellent
70.00 - 74.99	B	8	Very Good
60.00 - 69.99	C	7	Good
50.00 - 59.99	D	6	Fair
45.00 - 49.99	E	5	Average
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Grade Point Table with Penalty			
% Marks	Grade	GP	Performance
75.00 and Above	B	8	Very Good
70.00-74.99	C	7	Good
60.00-69.99	D	6	Fair
50.00-59.99	E	5	Average
40.00 - 49.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Entered by sd/- Checked by sd/- Verified By sd/- Principal sd/-