



Bharatiya Vidya Bhavan's
SARDAR PATEL INSTITUTE OF TECHNOLOGY
 An Autonomous Institute Affiliated To University Of Mumbai
 Munshi Nagar, Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for S.E. (Electronics and Telecommunication Engineering) (GROUP I 2018-2019), Odd Semester III , Re Exam: November 2020

Courses →	BS31				ET31				ET32				ET33				ET34				ETL31		ETL32		ETL33			ETL34			BS32		ABL1 @		TOTAL	SGPI (GPA)	RESULT
	APPLIED MATHEMATICS I				ELECTRONICS DEVICES AND CIRCUITS				CIRCUIT THEORY				DIGITAL CIRCUITS				ELECTROMAGNETIC WAVE PROPAGATION				ELECTRONICS DEVICES AND CIRCUITS LAB		DIGITAL CIRCUITS LAB		HDL PROGRAMMING LAB			OBJECT ORIENTED PROGRAMMING LAB			HUMAN HEALTH SYSTEMS APPROACH		BUILDING AUTOMATION, FIRE SAFETY AND ELECTRONIC SECURITY (NONCREDIT)				
Seat No / Name of Student ↓	MaxM	20	20	60	100	20	20	60	100	20	20	60	100	20	20	60	100	20	20	60	100	40	40	40	40	40	20	60	40	20	60	50	50	0	0	750	
	MinM	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	16	16	16	16	16	8	24	16	8	24	20	20	--	0		
2016120022	MarksO																																				
/ KARDEL ASHWINI NIVRUTTI	Grade				E				D				D				D				E		O		O		O		O		A		S				
	C				4				3				4				4				4		1		1		1		2		2		0	26			
	GP*C				20				18				24				24				20		10		10		10		20		18		0	174			
Female	/				Credit	C			Grade table				Grade table with penalty																								
Grace	*				Grade	G			% Marks	Grade	GP	Performance	% Marks	Grade	GP	Performance																					
LD	!				Grade Point	GP			80.00 and Above	O	10	Outstanding	75.00 and Above	B	8	Very Good																					
0.505	RCC				C*GP	CGP			75.00 - 79.99	A	9	Excellent	70.00 - 74.99	C	7	Good																					
Pass	P				Sum of Credits	∑C			70.00 - 74.99	B	8	Very Good	60.00 - 69.99	D	6	Fair																					
Fail	F				Sum of CGPs	∑CGP			60.00 - 69.99	C	7	Good	50.00 - 59.99	E	5	Average																					
Exempted	E				∑CGP/∑C	GPA			50.00 - 59.99	D	6	Fair	45.00 - 49.99	P	4	Pass																					
Reserved for Lower Exam	RLE				Null & Void	NULL			45.00 - 49.99	E	5	Average	40.00 - 44.99	P	4	Pass																					
					Absent	Ab			40.00 - 44.99	P	4	Pass	Less than 40.00	F	0	Fail																					
									Less than 40.00	F	0	Fail	--	X	0	Defaulter																					
									--	AB	0	Absent	--	AB	0	Absent																					

sd/- Entered by sd/- Checked by sd/- Verified By sd/- Principal