Bharatiya Vidya Bhavan's

SARDAR PATEL INSTITUTE OF TECHNOLOGY

An Autonomous Institute Affiliated To University Of Mumbai

Munshi Nagar,Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for Electronics and Telecommunication Engineering (GROUP I 2019-20), Odd Semester III , Exam: November 2020 Re - Examination

Courses →		BS31 APPLIED MATHEMATICS I				ET31 ELECTRONICS DEVICES AND CIRCUITS				ET32 CIRCUIT THEORY				ET33 DIGITAL CIRCUITS				ET34 ELECTROMAGNETIC WAVE PROPAGATION				ETL31 ELECTRONICS DEVICES AND CIRCUITS LAB		ETL32 DIGITAL CIRCUITS LAB		ETL33 HDL PROGRAMMING LAB			ETL34 OBJECT ORIENTED PROGRAMMING LAB			BS32 HUMAN HEALTH SYSTEMS APPROACH		ABL1 @ BUILDING AUTOMATION, FIRE SAFETY AND ELECTRONIC SECURITY (NONCREDIT)		TOTAL	SGPI (GPA)	RESULT
Seat No / Name of Student ↓		ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	TOT	ISE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	TOT	ESE	TOT			
	MaxM	20	20	60	100	20	20	60	100	20	20	60	100	20	20	60	100	20	20	60	100	40	40	40	40	40	20	60	40	20	60	50	50	0	0	750		
	MinM	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	16	16	16	16	16	8	24	16	8	24	20	20	--	0			
2017120026	MarksO																																					
KALE NINAD NARENDRA APARNA	Grade				E				E				E				D				P		O		O			O			O		O		S			
	C				4				3				4				4				4		1		1			1			2		2		0	26		
	GP*C				20				15				20				24				16		10		10			10			20		20		0	165	6.35	P

Female	/
Grace	*
LD	!
0.505	RCC
Pass	P
Fail	F
Exempted	E
Reserved for Lower Exam	RLE

Credit	C
Grade	G
Grade Point	GP
C*GP	CGP
Sum of Credits	∑C
Sum of CGPs	∑CGP
∑CGP/∑C	GPA
Null & Void	NULL
Absent	Ab

Grade table

% Marks	Grade	GP	Performance
80.00 and Above	O	10	Outstanding
75.00 - 79.99	A	9	Excellent
70.00 - 74.99	B	8	Very Good
60.00 - 69.99	C	7	Good
50.00 - 59.99	D	6	Fair
45.00 - 49.99	E	5	Average
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Grade table with penalty

% Marks	Grade	GP	Performance
75.00 and Above	B	8	Very Good
70.00 - 74.99	C	7	Good
60.00 - 69.99	D	6	Fair
50.00 - 59.99	E	5	Average
40.00 - 49.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

sd/- Entered by

sd/- Checked by

sd/- Verified By

sd/- Principal