Bharatiya Vidya Bhavan's

SARDAR PATEL INSTITUTE OF TECHNOLOGY

An Autonomous Institute Affiliated To University Of Mumbai

Munshi Nagar,Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for T.E., Electronics and Telecommunication Engineering, Odd Semester V , Re Examination August 2021

Courses →		ETC501 MICROCONTROLLERS AND APPLICATIONS				ETC502 ANALOG COMMUNICATION				ETC503 RANDOM SIGNAL ANALYSIS				ETC504 RF MODELING AND ANTENNAS				ETC505 INTEGRATED CIRCUITS				ETS506 BUSINESS COMMUNICATION AND ETHICS		ETL501 MICROCONTROLLER AND APPLICATION LABORATORY			ETL502 COMMUNICATION ENGINEERING LABORATORY - I			ETL503 COMMUNICATION ENGINEERING LABORATORY - II			ETL504 MINI PROJECT - I			TOTAL	SGPI (GPA)	RESULT
Seat No / Name of Student ↓		ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	MSE	ESE	TOT	ISE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT			
	MaxM	10	30	60	100	10	30	60	100	10	30	60	100	10	30	60	100	10	30	60	100	50	50	40	20	60	40	20	60	40	20	60	50	50	100	830		
	MinM	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	--	24	40	--	20	--	8	24	--	8	24	--	8	24	--	20	40			
2016220072	MarksO																																					
MORE VINAYAK RAMESH MANJIRI	Grade				P				P				E				E				P		B			B			B			E			C			
	C				4				4				5				4				4		2			1			1			1			1	27		
	GP*C				16				16				25				20				16		16			8			8			5			7	137	5.07	P

Female	/
Grace	*
LD/HC	!
0.505	RCC
Pass	P
Fail	F
Exempted	E
Reserved for Lower Exam	RLE

Credit	C
Grade	G
Grade Point	GP
C*GP	CGP
Sum of Credits	∑C
Sum of CGPs	∑CGP
∑CGP/∑C	GPA
Null & Void	NULL
Absent	Ab

Grade Point Table

% Marks	Grade	GP	Performance
80.00 and Above	O	10	Outstanding
75.00 - 79.99	A	9	Excellent
70.00 - 74.99	B	8	Very Good
60.00 - 69.99	C	7	Good
50.00 - 59.99	D	6	Fair
45.00 - 49.99	E	5	Average
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Grade Point Table with Penalty

% Marks	Grade	GP	Performance
75.00 - Above	B	8	Very Good
70.00 - 74.99	C	7	Good
60.00 - 69.99	D	6	Fair
50.00 - 59.99	E	5	Average
45.00 - 49.99	P	4	Pass
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

sd/-	sd/-	sd/-	sd/-
Entered by	Checked by	Verified By	Principal