



Bharatiya Vidya Bhavan's
SARDAR PATEL INSTITUTE OF TECHNOLOGY
 An Autonomous Institute Affiliated To University Of Mumbai
 Munshi Nagar, Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for B.Tech. Electronics Engineering (CAT 1 GROUP 1 2021-2022), Even Semester VI, Exam: May 2022 (Regular - Makeup)

Courses →		OEIT4			ET306			ET307			1T21			1T12			ET308			TOTAL	SGPI (GPA)	RESULT	CGPI	YCGPI
		DATA BASE MANAGEMENT SYSTEM			POWER ELECTRONICS			COMPUTER COMMUNICATION NETWORKS			SPEECH AND AUDIO PROCESSING			EMBEDDED SYSTEMS			MINI PROJECT - II							
Seat No / Name of Student ↓		ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT					
	MaxM	40	60	100	40	60	100	40	60	100	40	60	100	40	60	100	100	100	200	700				
	MinM	--	--	40	--	--	40	--	--	40	--	--	40	--	--	40	--	--	80					
2019110010	MarksO																							
CHAUDHARI PULKIT SATISH DARSHANA	Grade			A			E			O			C			C			O					
	C			3			4			4			3			3			3	20				
	GP*C			27			20			40			21			21			30	159	7.95	P	8.52	8.51
2019110052	MarksO																							
SHARMA ASHUTOSH RAJINDER KUMAR SUDESH	Grade			D			E			D			D	*	P				A					
	C			3			4			4			3			3			3	20				
	GP*C			18			20			24			18			12			27	119	5.95	P	7.20	6.95
2019110064	MarksO																							
THAKUR SHIVAM PRAVIR POONAM	Grade			B			D			C			A			C			A					
	C			3			4			4			3			3			3	20				
	GP*C			24			24			28			27			21			27	151	7.55	P	8.82	8.51

Female	/
Grace	*
LD	!
0.505	RCC
Pass	P
Fail	F
Exempted	E
Reserved for Lower Exam	RLE

Credit	C
Grade	G
Grade Point	GP
C*GP	CGP
Sum of Credits	ΣC
Sum of CGPs	ΣCGP
ΣCGP/ΣC	GPA
Null & Void	NULL
Absent	Ab

Grade table			
% Marks	Grade	GP	Performance
80.00 and Above	O	10	Outstanding
75.00 - 79.99	A	9	Excellent
70.00 - 74.99	B	8	Very Good
60.00 - 69.99	C	7	Good
50.00 - 59.99	D	6	Fair
45.00 - 49.99	E	5	Average
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Grade table with penalty			
% Marks	Grade	GP	Performance
75.00 and Above	B	8	Very Good
70.00 - 74.99	C	7	Good
60.00 - 69.99	D	6	Fair
50.00 - 59.99	E	5	Average
40.00 - 49.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

SD/-
Entered by

SD/-
Checked by

SD/-
Verified By

SD/-
Principal