



Bharatiya Vidya Bhavan's
SARDAR PATEL INSTITUTE OF TECHNOLOGY
 An Autonomous Institute Affiliated To University Of Mumbai
 Munshi Nagar, Andheri (W) Mumbai 400 058

Centre: 735, SPIT

Gazette for B.Tech. Electronics and Telecommunication Engineering (CATEGORY 1 GROUP 14 2021-2022), Even Semester VI , Exam: May 2022 (Regular - Makeup)

Courses →		OECS3			EC306			EC307			1Y			1T11			EC308			TOTAL	SGPI (GPA)	RESULT	CGPI	YCGPI		
		DATA STRUCTURES AND ALGORITHMS	FUNDAMENTALS OF ANTENNA	COMPUTER COMMUNICATION NETWORK	OPTICAL FIBRE COMMUNICATION	MOBILE AND WIRELESS COMMUNICATION	MINI PROJECT - II	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT	ISE	ESE	TOT							
Seat No / Name of Student ↓	MaxM	40	60	100	40	60	100	40	60	100	40	60	100	40	60	100	100	100	200	700						
	MinM	--	--	40	--	--	40	--	--	40	--	--	40	--	--	40	--	--	80							
2019120050	MarksO																									
/ RAGHUWANSHI ISHIKA RAJESH SAPNA	Grade			O			A												O							
	C			3			4												3			3	20			
	GP*C			30			36												24			30	190	9.50	P	9.70
2019120052	MarksO																									
REVANTH VENKATA SOMASUNDARAMURTHY JYOTHULA SURYAPRABHA	Grade			D			D												D			C				
	C			3			4												3			3	20			
	GP*C			18			24												18			21	135	6.75	P	8.35
2019120059	MarksO																									
SINGH HARGOBIND MOHINDER	Grade			C			O												B			O				
	C			3			4												3			3	20			
	GP*C			21			40												24			30	185	9.25	P	9.36

Female	/
Grace	*
LD	!
0.505	RCC
Pass	P
Fail	F
Exempted	E
Reserved for Lower Exam	RLE

Credit	C
Grade	G
Grade Point	GP
C*GP	CGP
Sum of Credits	∑C
Sum of CGPs	∑CGP
∑CGP/∑C	GPA
Null & Void	NULL
Absent	Ab

Grade table			
% Marks	Grade	GP	Performance
80.00 and Above	O	10	Outstanding
75.00 - 79.99	A	9	Excellent
70.00 - 74.99	B	8	Very Good
60.00 - 69.99	C	7	Good
50.00 - 59.99	D	6	Fair
45.00 - 49.99	E	5	Average
40.00 - 44.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

Grade table with penalty			
% Marks	Grade	GP	Performance
75.00 and Above	B	8	Very Good
70.00 - 74.99	C	7	Good
60.00 - 69.99	D	6	Fair
50.00 - 59.99	E	5	Average
40.00 - 49.99	P	4	Pass
Less than 40.00	F	0	Fail
--	X	0	Defaulter
--	AB	0	Absent

SD/- Entered by SD/- Checked by SD/- Verified By SD/- Principal